

Divo sospeso mains voltage halogen

Suspended luminaire - modular system consisting of body and head

Thanks to its unique modularity the Occhio head-body system delivers impressive lighting solutions for your room. For different lighting effects diverse, turnable reflector heads are available, which can be easily substituted at any time thanks to a simple plug-in mechanism. The diverse wall and ceiling boxes allow for all recessed and surface mounting options.


Suspended luminaire Occhio Divo sospeso consisting of

- body Occhio sospeso - different surfaces
- head Occhio Divo - different lighting effects and surfaces
- Occhio accessories - different mounting options and surfaces

IP 20     



Divo sospeso H



Divo sospeso H

material
aluminium, brass, steel, glass

surface
head: chrome, matt chrome
body: chrome, matt chrome

length
cable length 350 cm or 700 cm

recommended lighting effect
A, Fw, G, H see p.2 cut sheet

light source
high voltage haloge, operating voltage 230 V
48 / 60 W, G9 Eco
energy efficiency grade D, lifetime 2.000 h



luminous flux (bulb)
48 W / 740 lm, 60 W / 980 lm

color temperature / color rendering
2900K / CRI 100

weight
body and reflector head max. 0,8 kg

mounting accessories
for surface or recessed mounting, see p.4 cut sheet

Divo sospeso recommended lighting effects



Divo A

Reflector head for spherical light,
radial distribution


with satinised glass, the light output varies
compared to the illustrations shown

efficiency of reflector head

clear glass 96%
satinised glass 93%

material / surface

clear or satinised, heat-resistant glass
reflector aluminium
fixture matt chrome or chrome



Divo Fw

reflector head for light with
wide radiation up


with satinised glass, the light output varies
compared to the illustrations shown

efficiency of reflector head

clear glass 63%
satinised glass 61%

material / surface

clear or satinised, heat-resistant glass
reflector aluminium
fixture matt chrome or chrome



Divo G

reflector head for light with
narrow radiation down


with satinised glass, the light output varies
compared to the illustrations shown

efficiency of reflector head

clear glass 55%
satinised glass 53%

material / surface

clear or satinised, heat-resistant glass
reflector aluminium
fixture matt chrome or chrome



Divo H

reflector head for light with wide radiation up
and narrow radiation down

with satinised glass, the light output varies
compared to the illustrations shown

efficiency of reflector head

clear glass 57%
satinised glass 54%

material / surface

clear or satinised, heat-resistant glass
reflector aluminium
fixture matt chrome or chrome

cutsheet

Occhio





3 | 4

Divo sospeso
item numbers

item number
_matt chrome M
_chrome C

sospeso 	max. 60 W mains voltage halogen G9 excl. bulb, excl. mounting box cable length 3,5 m	8E 35 00 _
	version with 7 m cable length	8E 75 00 _
	version without mounting plate for canopy + cable guidance or track adapter	8E 31 00 _
	version without mounting plate version with 7 m cable length	8E 71 00 _



Divo A 	clear glass	8K 00 A1 M 8K 00 A1 C
	satinised glass	8K 00 A2 M 8K 00 A2 C
Divo Fw 	clear glass	8K 00 F1 M 8K 00 F1 C
	satinised glass	8K 00 F2 M 8K 00 F2 C
Divo G 	clear glass	8K 00 G1 M 8K 00 G1 C
	satinised glass	8K 00 G2 M 8K 00 G2 C
Divo H 	clear glass	8K 00 H1 M 8K 00 H1 C
	satinised glass	8K 00 H2 M 8K 00 H2 C







--	--

Divo sospeso
item numbers

Item number
_matt chrome M
_chrome C



flat box 	for plastering or wall / ceiling box h 8 mm, ø 80 mm	8Z 00 00 _
spacing box 	surface mounting h 22 mm, ø 80 mm	8Z 01 00 _
	with hole for external cable supply h 22 mm, ø 80 mm	8Z 03 00 _
canopy incl. 1 cable guidance 		8H 04 00 _
canopy including 2 cable guidance 		8H 05 00 _
cable guidance 		8H 01 20 _
track adapter* 	for 3 phase track silver white black	4H 06 00 _M 4H 06 00 _W 4H 06 00 _S

* also available in 1 phase track version for the same price, item no. 4F __ 00 __ 1