

Sento faro doppio low voltage halogen

Ceiling luminaire - modular system consisting of body and head

Thanks to its unique modularity the Occhio head-body system delivers impressive lighting solutions for your room. For different lighting effects diverse, turnable reflector heads are available, which can be easily substituted at any time thanks to a simple plug-in mechanism. The diverse wall and ceiling boxes allow for all recessed and surface mounting options.


Ceiling luminaire Occhio Sento faro doppio consisting of

- body Occhio faro doppio - different length and surfaces
- head Occhio Sento - different lighting effects and surfaces
- Occhio accessories - different mounting options and surfaces

IP 20     



Sento faro doppio C



material

aluminium, brass, steel, glass

surface

head: see p.2 cutsheet

body: chrome, matt chrome

length / rotation angle

10 cm, 20 cm, 30 cm, 60 cm / 355°

recommended lighting effects

B, C, E see p.2 cutsheet

light source

low voltage halogen, operating voltage 12 V
max. 2x 60 W IRC, GY6.35,
energy efficiency grade B, lifetime 4.000 h

luminous flux (bulb)

35 W / 860 lm, 50 W / 1180 lm, 60 W / 1650 lm

color temperature / color rendering

3000 K / CRI 100

weight

body + head max. 2,8 kg

mounting accessories



for surface or recessed mounting, see p.4 cutsheet

cutsheet

Occhio

2 | 4

Sento faro doppio recommended lighting effects



Sento B (satinised glass / cover)
reflector head for diffuse light
in one direction

luminous efficiency

49%

glass



satinised, heat-resistant glass

ring / cover

chrome, matt chrome
white or black glossy finish
(bianco, nero)

holder

chrome or matt chrome



Sento C (cover / lense)
reflector head for directed light
in one direction

luminous efficiency

56%

beam angle

approx. 85°

lense


optical glass

ring / cover

chrome, matt chrome,
white or black glossy finish
(bianco, nero)

holder

chrome or chrome matt



Sento E (satinised glass / lense)
reflector head for diffuse light in one and
directed light in the other direction

luminous efficiency

82%

beam angle

approx. 85°

glass

satinised, heat-resistant glass

lense

optical glass


ring

chrome, matt chrome,
white or black glossy finish
(bianco, nero)

holder

chrome or matt chrome

faro doppio



10 cm	7F 20 00 _
20 cm	7F 21 00 _
30 cm	7F 22 00 _
60 cm	7F 24 00 _




Sento B




satinised glass / cover

Sento C



cover / lens

Sento E



satinised glass / lens

matt chrome	8K 00 72 M
chrome	8K 00 72 C
bianco	8K 00 72 B
nero	8K 00 72 N

matt chrome	7K 00 63 M
chrome	7K 00 63 C
bianco	7K 00 63 B
nero	7K 00 63 N

matt chrome	7K 00 75 M
chrome	7K 00 75 C
bianco	7K 00 75 B
nero	7K 00 75 N



